Welcome to Math I!


Our journey through the year-long Math I SCOS will include the following:

- 1. The planning of lessons within the following mathematical "themes": Number and Quantity, Algebra, Functions, Geometry, and Statistics and Probability.
- 2. The Eight Mathematical Practices which are the behaviors (habits of mind) that are developed to achieve mathematical proficiency throughout the school year.
- 3. All students must be able to conceptualize math concepts, follow procedural algorithms and apply essential understanding in the context of the learning; therefore, teachers are asked to consider the learners when selecting an approach to close academic gaps. The implementation of the required "I Do; We Do; You Do" (gradual release) instructional approach shown in "Figure 1/Link" ensures academic clarity in the processing of new content. The modeling of concepts systematically & explicitly using the:

Concrete \rightarrow **Representational** \rightarrow **Abstract Modeling Method** to ensure students' processing of concepts. (Figure 2/Link:


http://fcit.usf.edu/mathvids/strategies/category.html#teacher

Figure 1: I Do; We Do; You Do Instructional Approach



Link: https://strategiesforspecialinterventions.weebly.com/i-do-we-do-you-do.html

Figure 2: Concrete to Representational to Abstract Modeling Method



Link: http://fcit.usf.edu/mathvids/strategies/category.html#teacher

Pursuing the Road to Mastery of Standards:

- Follow the District's Math I Pacing Guide
 (Note: Numbers listed in each quarter means quarter taught;
 X means quarters NOT taught). Cluster standards into units.
- Benchmarks are aligned to the pacing of standards
- Ensure quality use of daily instructional minutes
- Lesson units are taught in 2-weeks; plan lessons accordingly.
- Include whole group & collaborative small group instruction
- Utilize visuals/hands-on manipulatives during guided practice
- Student engagement includes both intellectually independent & collaborative computational & problem-solving tasks
- Your data-driven remediation plan includes scaffolding of content; direct instruction & anchor chart(s); use of other supplemental intervention resources)
- Use daily 2-minute basic math drills to build fluent retrieval of rules, algorithms and formulas
- Quiz, test, bi-weekly unit assessments, and summative benchmarks

Best regards for a successful year!

Halifax County Schools "Charting a New Course" to Student Achievement 2019-2020 Curriculum Support Team

Halifax County Schools: Math I SCOS Pacing Guide (June	• 30 ,	201	9)	
Number and Quantity	(Qua	rter	5
The Real Number System: Extend the properties of exponents to rational exponents.	1	2	3	4
NC.M1.N-RN.2 Rewrite algebraic expressions with integer exponents using the properties of exponents.	Χ	Χ	3	Χ
Algebra				
Seeing Structure in Expressions	(Qua	rter	5
Interpret the structure of expressions.	1	2	3	4
NC.M1.A-SSE.1 Interpret expressions that represent a quantity in terms of its context.	1	Χ	3	Χ
NC.M1.A-SSE.1a. Identify and interpret parts of a linear, exponential, or quadratic expression, including terms, factors, coefficients, and exponents.	1	Х	3	Х
NC.M1.A-SSE.1b b. Interpret a linear, exponential, or quadratic expression made of multiple parts as a combination of entities to give meaning to an expression.	1	X	3	X
Seeing Structure in Expressions	(Qua	rter	5
Write expressions in equivalent forms to solve problems.	1	2	3	4
NC.M1.A-SSE.3 Write an equivalent form of a quadratic expression ax^2+bx+c , where a is an integer, by factoring to reveal the solutions of the equation or the zeros of the function the expression defines.	Х	Х	3	х
Arithmetic with Polynomial Expressions				
Perform arithmetic operations on polynomials.				
NC.M1.A-APR.1 Build an understanding that operations with polynomials are comparable to operations with integers by adding and subtracting quadratic expressions and by adding, subtracting, and multiplying linear expressions.	Х	Х	3	х
Arithmetic with Polynomial Expressions	(Qua	rter	5
Understand the relationship between zeros and factors of polynomials.	1	2	3	4
NC.M1.A-APR.3 Understand the relationships among the factors of a quadratic expression, the solutions of a quadratic equation, and the zeros of a quadratic function.	Х	Х	3	x
Creating Equations	(Qua	rter	5
Create equations that describe numbers or relationships.	1	2	З	4
NC.M1.A-CED.1 Create equations and inequalities in one variable that represent linear, exponential, and quadratic relationships and use them to solve problems.	1	Х	X	х
NC.M1.A-CED.2 Create and graph equations in two variables to represent linear, exponential, and quadratic relationships between quantities.	1	2	3	Χ
NC.M1.A-CED.3 Create systems of linear equations and inequalities to model situations in context.	Х	2		Χ
NC.M1.A-CED.4 Solve for a quantity of interest in formulas used in science and mathematics using the same reasoning as in solving equations.	1	Х	Х	Χ
Reasoning with Equations and Inequalities	(Qua	rter	5
Understand solving equations as a process of reasoning and explain the reasoning.	1	2	3	4
NC.M1.A-REI.1 Justify a chosen solution method and each step of the solving process for linear and quadratic equations using mathematical reasoning. (continued 2/5 pages)	1	Х	3	4
				L

Reasoning with Equations and Inequalities		Qua	rter	s
Solve equations and inequalities in one variable.	1	2	3	4
NC.M1.A-REI.3 Solve linear equations and inequalities in one variable.	1	Х	Х	Χ
NC.M1.A-REI.4 Solve for the real solutions of quadratic equations in one variable by taking square roots and factoring.	Х	x	x	4
Reasoning with Equations and Inequalities		Qua	rter	S
Solve systems of equations.	1	2	3	4
NC.M1.A-REI.5 Explain why replacing one equation in a system of linear equations by the sum of that equation and a multiple of the other produces a system with the same solutions.	Х	2	X	x
NC.M1.A-REI.6 Use tables, graphs, or algebraic methods (substitution and elimination) to find approximate or exact solutions to systems of linear equations and interpret solutions in terms of a context.	X	2	X	x
Reasoning with Equations and Inequalities		Qua	rter	s
Represent and solve equations and inequalities graphically	1	2	3	4
NC.M1.A-REI.10 Understand that the graph of a two variable equation represents the set of all solutions to the equation.	1	2	Χ	Х
NC.M1.A-REI.11 Build an understanding of why the x-coordinates of the points where the graphs of two linear, exponential, and/or quadratic equations $y = f(x)$ and $y = g(x)$ intersect are the solutions of the equation $f(x) = g(x)$ and approximate solutions using graphing technology or successive approximations with a table of values.	1	X	3	4
NC.M1.A-REI.12 Represent the solutions of a linear inequality or a system of linear inequalities graphically as a region of the plane.	Х	2	x	X
Functions				
Interpreting Functions		<u> </u>	rter	s
Understand the concept of a function and use function notation.	1	2	3	4
	-	Х	Х	
 NC.M1.F-IF.1 Build an understanding that a function from one set (called the domain) to another set (called the range) assigns to each element of the domain exactly one element of the range by recognizing that: if <i>f</i> is a function and x is an element of its domain, then f(x) denotes the output of <i>f</i> corresponding to the input x. the graph of <i>f</i> is the graph of the equation y = f(x). 	1			
 exactly one element of the range by recognizing that: if f is a function and x is an element of its domain, then f(x) denotes the output of f corresponding to the input x. 	1	x	3	3
 exactly one element of the range by recognizing that: if f is a function and x is an element of its domain, then f(x) denotes the output of f corresponding to the input x. the graph of f is the graph of the equation y = f(x). NC.M1.F-IF.2 Use function notation to evaluate linear, quadratic, and exponential functions for inputs in their domains, and interpret statements that use 			3	
 exactly one element of the range by recognizing that: if f is a function and x is an element of its domain, then f(x) denotes the output of f corresponding to the input x. the graph of f is the graph of the equation y = f(x). NC.M1.F-IF.2 Use function notation to evaluate linear, quadratic, and exponential functions for inputs in their domains, and interpret statements that use function notation in terms of a context. NC.M1.F-IF.3 Recognize that recursively and explicitly defined sequences are functions whose domain is a subset of the integers, the terms of an arithmetic sequence are a subset of the range of a linear function, and the terms of a geometric sequence are a subset of the 	1	x x	3	3 X
 exactly one element of the range by recognizing that: if <i>f</i> is a function and x is an element of its domain, then f(x) denotes the output of <i>f</i> corresponding to the input x. the graph of <i>f</i> is the graph of the equation y = f(x). NC.M1.F-IF.2 Use function notation to evaluate linear, quadratic, and exponential functions for inputs in their domains, and interpret statements that use function notation in terms of a context. NC.M1.F-IF.3 Recognize that recursively and explicitly defined sequences are functions whose domain is a subset of the integers, the terms of an arithmetic sequence are a subset of the range of a linear function, and the terms of a geometric sequence are a subset of the range of an exponential function. 	1	x x	3	3 X
 exactly one element of the range by recognizing that: if <i>f</i> is a function and x is an element of its domain, then f(x) denotes the output of <i>f</i> corresponding to the input x. the graph of <i>f</i> is the graph of the equation y = f(x). NC.M1.F-IF.2 Use function notation to evaluate linear, quadratic, and exponential functions for inputs in their domains, and interpret statements that use function notation in terms of a context. NC.M1.F-IF.3 Recognize that recursively and explicitly defined sequences are functions whose domain is a subset of the integers, the terms of an arithmetic sequence are a subset of the range of a linear function, and the terms of a geometric sequence are a subset of the range of an exponential function. Interpreting Functions 	1	X X Qua	3 3 rter	3 X S 4
 exactly one element of the range by recognizing that: if <i>f</i> is a function and x is an element of its domain, then f(x) denotes the output of <i>f</i> corresponding to the input x. the graph of <i>f</i> is the graph of the equation y = f(x). NC.M1.F-IF.2 Use function notation to evaluate linear, quadratic, and exponential functions for inputs in their domains, and interpret statements that use function notation in terms of a context. NC.M1.F-IF.3 Recognize that recursively and explicitly defined sequences are functions whose domain is a subset of the integers, the terms of an arithmetic sequence are a subset of the range of a linear function, and the terms of a geometric sequence are a subset of the range of an exponential function. Interpreting Functions Interpret functions that arise in applications in terms of the context. NC.M1.F-IF.4 Interpret key features of graphs, tables, and verbal descriptions in context to describe functions that arise in applications relating two quantities, including: intercepts; intervals where the function is increasing, decreasing, positive, or negative; and maximums 	1	X X Qua 2	3 3 rter	3 X S 4

Interpreting Functions	(Qua	rter	s
Analyze functions using different representations.	1	2	3	4
NC.M1.F-IF.7 Analyze linear, exponential, and quadratic functions by generating different representations, by hand in simple cases and using technology for more complicated cases, to show key features, including: domain and range; rate of change; intercepts; intervals where the function is increasing, decreasing, positive, or negative; maximums and minimums; and end behavior.	1	х	3	4
NC.M1.F-IF.8a a. Rewrite a quadratic function to reveal and explain different key features of the function	Χ	Х	Х	4
NC.M1.F-IF.8b b. Interpret and explain growth and decay rates for an exponential function.	Χ	Х	3	
NC.M1.F-IF.9 Compare key features of two functions (linear, quadratic, or exponential) each with a different representation (symbolically, graphically,	1	Х	3	4
numerically in tables, or by verbal descriptions).				
Building Functions	(Qua	rter	s
Build a function that models a relationship between two quantities.	1	2	3	4
NC.M1.F.BF.1 Write a function that describes a relationship between two quantities.	1	X	3	4
NC.M1.F-BF.1a. Build linear and exponential functions, including arithmetic and geometric sequences, given a graph, a description of a relationship, or two	1	Х	3	Х
ordered pairs (include reading these from a table).				
NC.M1.F.BF.1b Build a function that models a relationship between two quantities by combining linear, exponential, or quadratic functions with addition and	1	Х	3	4
subtraction or two linear functions with multiplication.	_		_	
NC.M1.F-BF.2 Translate between explicit and recursive forms of arithmetic and geometric sequences and use both to model situations.	1	х	3	х
Linear, Quadratic, and Exponential Models	(Qua	rter	s
Construct and compare linear and exponential models and solve problems.	1	2	3	4
NC.M1.F-LE.1 Identify situations that can be modeled with linear and exponential functions, and justify the most appropriate model for a situation based on	Х	2	3	Х
the rate of change over equal intervals.			_	<u> </u>
NC.M1.F-LE.3 Compare the end behavior of linear, exponential, and quadratic functions using graphs and tables to show that a quantity increasing	Х	Х	3	4
exponentially eventually exceeds a quantity increasing linearly or quadratically.				
Linear, Quadratic, and Exponential Models		Qua	rter	s
Interpret expressions for functions in terms of the situation they model.	1	2	3	4
NC.M1.F-LE.5 Interpret the parameters a and b in a linear function $f(x) = ax + b$ or an exponential function $g(x) = ab^x$. in terms of a context.	1	Χ	3	Х
Geometry				
Expressing Geometric Properties with Equations	(Qua	rter	s
Use coordinates to prove simple geometric theorems algebraically.	1	2	3	4
NC.M1.G-GPE.4 Use coordinates to solve geometric problems involving polygons algebraically	Х	2	Х	Х
 Use coordinates to compute perimeters of polygons and areas of triangles and rectangles. 				
• Use coordinates to verify algebraically that a given set of points produces a particular type of triangle or quadrilateral.				
NC.M1.G-GPE.5 Use coordinates to prove the slope criteria for parallel and perpendicular lines and use them to solve problems.	Х	2	х	Х
• Determine if two lines are parallel, perpendicular, or neither.				
• Find the equation of a line parallel or perpendicular to a given line that passes through a given point.				
NC.M1.G-GPE.6 Use coordinates to find the midpoint or endpoint of a line segment. (continued 4/5 pages)	х	2	x	x

Statistics and Probability				
Interpreting Categorical and Quantitative Data			Quarters	
Summarize, represent, and interpret data on a single count or measurement variable.	1	2	3	4
NC.M1.S-ID.1 Use technology to represent data with plots on the real number line (histograms, and box plots).	Х	Х	Х	4
NC.M1.S-ID.2 Use statistics appropriate to the shape of the data distribution to compare center (median, mean) and spread (interquartile	Х	Х	Х	4
range, standard deviation) of two or more different data sets. Interpret differences in shape, center, and spread in the context of the data sets.				
NC.M1.S-ID.3 Examine the effects of extreme data points (outliers) on shape, center, and/or spread.	X	Х	Х	4
Interpreting Categorical and Quantitative Data	Quarters			
Summarize, represent, and interpret data on two categorical and quantitative variables.	1	2	3	4
NC.M1.S-ID.6 Represent data on two quantitative variables on a scatter plot, and describe how the variables are related.	Χ	2	3	Х
NC.M1.S-ID.6a a. Fit a least squares regression line to linear data using technology. Use the fitted function to solve problems.	Χ	2	Χ	Χ
NC.M1.S-ID.6b b. Assess the fit of a linear function by analyzing residuals.	Χ	2	Χ	Х
NC.M1.S-ID.6c c. Fit a function to exponential data using technology. Use the fitted function to solve problems.	Х	Х	3	Х
Interpreting Categorical and Quantitative Data	Quarters			
Interpret linear models.	1	2	3	4
NC.M1.S-ID.7 Interpret in context the rate of change and the intercept of a linear model. Use the linear model to interpolate and extrapolate predicted values. Assess the validity of a predicted value.	Х	2	х	X
NC.M1.S-ID.8 Analyze patterns and describe relationships between two variables in context. Using technology, determine the correlation coefficient of bivariate data and interpret it as a measure of the strength and direction of a linear relationship. Use a scatter plot, correlation coefficient, and a residual plot to determine the appropriateness of using a linear function to model a relationship between two variables.	х	2	Х	X
NC.M1.S-ID.9 Distinguish between association and causation. (continued 5/5 pages)	x	2	x	x